



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

tree consecutive keys nodes renaming

SEARCH



Feedback

tree consecutive keys nodes renaming

Terms used: **tree consecutive keys nodes renaming**

Found 75 of 239,274

Sort results by

relevance ☒☒ Save results to a BinderRefine these results with [Advanced Search](#)

Display results

expanded form ☒☐ Open results in a new windowTry this search in [The ACM Guide](#)

Results 1 - 20 of 75

Result page: [1](#) [2](#) [3](#) [4](#) [next](#) [>>](#)

2/26/2008

1. [The string B-tree: a new data structure for string search in external memory and its applications](#)

Paolo Ferragina, Roberto Grossi

March 1999 **Journal of the ACM (JACM)**, Volume 46 Issue 2

Publisher: ACM

Full text available: pdf(363.37 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

We introduce a new text-indexing data structure, the String B-Tree, that can be seen as a link between some traditional external-memory and string-matching data structures. In a short phrase, it is a combination of B-trees and Patricia ...

Keywords: B-tree, Patricia trie, external-memory data structure, prefix and range search, string searching and sorting, suffix array, suffix tree, text index

2. [A certifying algorithm for the consecutive-ones property](#)

Ross M. McConnell

January 2004 **SODA '04: Proceedings of the fifteenth annual ACM-SIAM symposium on Discrete algorithms**

Publisher: Society for Industrial and Applied Mathematics

Full text available: pdf(231.87 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

We give a forbidden substructure characterization of set families that have the consecutive-ones property, and a linear time algorithm to find the forbidden substructure if a set family does not have the property. The forbidden substructure has size ...

3. [Locking-aware structural join operators for XML query processing](#)

Christian Mathis, Theo Härder, Michael Haustein

June 2006 **SIGMOD '06: Proceedings of the 2006 ACM SIGMOD international conference on Management of data**

Publisher: ACM

Full text available: pdf(519.20 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

As observed in many publications so far, the matching of twig pattern

Ads by Google

[Download PDF Converter](#)

Convert Document & Image formats into PDF. Fast Download Guaranteed! PDFConverter.PDF-forma

[Simulation Modeling](#)

Fast Monte Carlo Simulation in Excel - Free Examples, Trial
www.Solver.com/RiskSolv

[Leading DSS & Analytic](#)

Consulting for Health Plans. Download a Free Information Guide!
www.Medstat.com/Decisio

[Easy Decision Trees](#)

Fast Decision Tree Software See Examples. Free Download!
www.SmartDraw.com

2/26/2008

2/26/2008

2/26/2008





USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

tree consecutive keys



Feedback


tree consecutive keys

Terms used: tree consecutive keys

Found 2,037 of 239,274

Sort results by

relevance



Save results to a Binder

 Refine these results with [Advanced Search](#)

Display results

expanded form

☐ Open results in a new window

 Try this search in [The ACM Guide](#)

Results 1 - 20 of 2,037

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#) [>>](#)

1 [Power-aware clock tree planning](#)

Monica Donno, Enrico Macii, Luca Mazzone

 April 2004 **ISPD '04: Proceedings of the 2004 international symposium on Physical design**

Publisher: ACM

Full text available: pdf(299.89 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Modern processors and SoCs require the adoption of power-oriented design styles, due to the implications that power consumption may have on reliability, cost and manufacturability of integrated circuits featuring nanometric technologies. And the power ...

Keywords: clock tree synthesis and routing, digital design, low-power design, physical design and optimization

2 [The string B-tree: a new data structure for string search in external memory and its applications](#)

Paolo Ferragina, Roberto Grossi

 March 1999 **Journal of the ACM (JACM)**, Volume 46 Issue 2

Publisher: ACM

Full text available: pdf(363.37 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

We introduce a new text-indexing data structure, the String B-Tree, that can be seen as a link between some traditional external-memory and string-matching data structures. In a short phrase, it is a combination of B-trees and Patricia ...

Keywords: B-tree, Patricia trie, external-memory data structure, prefix and range search, string searching and sorting, suffix array, suffix tree, text index

3 [Packing element-disjoint steiner trees](#)

Joseph Cheriyan, Mohammad R. Salavatipour

 November 2007 **ACM Transactions on Algorithms (TALG)**, Volume 3 Issue 4

Publisher: ACM

 Full text available: pdf(108.50 KB) Additional Information: [full citation](#), [abstract](#),

Ads by Google

[Download PDF Converter](#)

Convert Document & Image formats into PDF. Fast Download Guaranteed! PDFConverter.PDF-forma

[Simulation Modeling](#)

Fast Monte Carlo Simulation in Excel - Free Examples, Trial

www.Solver.com/RiskSolv
[Leading DSS & Analytic](#)

Consulting for Health Plans. Download a Free Information Guide!

www.Medstat.com/Decision
[Easy Decision Trees](#)

Fast Decision Tree Software See Examples. Free Download!

www.SmartDraw.com


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

tree consecutive keys

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) - [Recent articles](#)
Results 1 - 10 of about 35,700 for **tree consecutive keys**. (0.20 seconds)

All Results

Did you mean: **three** consecutive keys[R Bayer](#)[D Wu](#)[E Otoo](#)[M Bender](#)[B Sheil](#)**Balanced multidimensional extendible hash tree**

EJ Otoo - Proceedings of the fifth ACM SIGACT-SIGMOD symposium on ..., 1985 - portal.acm.org
 ... where a short burst of **consecutive keys** inserted differ ... Further the cost of **key** insertions becomes $O(M \dots)$ archical multidimensional extendible hash **tree** (BMEH-tree ...

[Cited by 28](#) - [Related Articles](#) - [Web Search](#)
Efficient State Updates for Key Management - all 14 versions »

B Pinkas - Proceedings of the IEEE, 2004 - ieeexplore.ieee.org
 ... Since all these paths converge at the root of the **tree**, every user knows ... in a method that enables a concise representation of a sequence of **consecutive keys**. ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#)
A locality-preserving cache-oblivious dynamic dictionary - all 7 versions »

MA Bender, Z Duan, J Iacono, J Wu - Proceedings of the thirteenth annual ACM-SIAM symposium on ..., 2002 - portal.acm.org
 ... together for fast access to ranges of data with **consecutive keys**. The data structure presented here is a simplification of the cache-oblivious B-tree of Bender ...

[Cited by 29](#) - [Related Articles](#) - [Web Search](#)
Median split trees: a fast lookup technique for frequently occurring keys

BA Sheil - Communications of the ACM, 1978 - portal.acm.org
 ... Figure 2, also from Knuth [5, p. 433] shows an optimum FOBS **tree** for the **keys** of Figure 1. However, it would be surprising if the technique used to produce ...

[Cited by 32](#) - [Related Articles](#) - [Web Search](#)
Organization and maintenance of large ordered indexes - all 2 versions »

R Bayer, EM McCreight - Acta Informatica, 1972 - Springer
 ... a **key y**. We will now derive bounds for h for a given index of size l . The minimum and maximum number l and \max of **keys** in a B-tree of pages in $x(k, h)$ are: ...

[Cited by 510](#) - [Related Articles](#) - [Web Search](#)
An evaluation of XML indexes for structural join - all 4 versions »

H Li, ML Lee, W Hsu, C Chen - ACM SIGMOD Record, 2004 - portal.acm.org
 ... Let K_i and K_j be two **consecutive keys** (or intervals) in an XB-tree index node. Let C_i be the child node that is pointed to by ...

[Cited by 14](#) - [Related Articles](#) - [Web Search](#)
The string B-tree: a new data structure for string search in external memory and its applications - all 9 versions »

P Ferragina, R Grossi - Journal of the ACM (JACM), 1999 - portal.acm.org
 ... A suffix **tree** generalization, called p-suffix **tree** [Baker 1993], allows us to ... order and take advantage of the prefix shared by any two (**consecutive**) **key** strings ...

[Cited by 139](#) - [Related Articles](#) - [Web Search](#)
Key trees and the security of interval multicast - all 12 versions »

MG Gouda, CT Huang, EN Elnozahy - Distributed Computing Systems, 2002. Proceedings. 22nd ..., 2002 - ieeexplore.ieee.org
 ... $\frac{1}{2}$ of n users, and a **key tree** \mathcal{I} . A user interval in a \mathcal{I} -group is a subset


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

tree consecutive keys nodes renaming

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - **Recent articles** Results 1 - 10 of about 1,550 for **tree consecutive keys nodes renaming**. (0.3

All Results

Did you mean: **three** consecutive keys **notes** renaming[P Ferragina](#)[T Hu](#)[R Grossi](#)[D Whiting](#)[T Dilatush](#)**Fractal Merkle Tree Representation and Traversal - all 12 versions »**

M Jakobsson, T Leighton, S Micali, M Szydlo - Topics in Cryptology, CT-RSA 2003: The Cryptographers' Track ..., 2003 - books.google.com

... the desired outputs are the **consecutive** authentication paths ... Lipmaa, "On Optimal Hash **Tree** Traversal for ... Secrecy, Authentication, and Public **Key** Systems," UMI ...[Cited by 33](#) - [Related Articles](#) - [Web Search](#)**Method and system for renaming consecutive keys in a B-tree**

K Code, JP MacCormick, VP Images, P Class - freepatentsonline.com

... **B-tree** for **renaming** a set **consecutive keys** to be carried out efficiently, with an estimated time complexity of $O(\log N)$, where N is the total number of **nodes** in ...[Cached](#) - [Web Search](#)**Placing an object at a node within a logical space in a peer-to-peer system**

Z Zhang, M Mahalingam, Z Xu, W Tang - 2004 - freepatentsonline.com

... embodiment, the system 100 includes a distributed file system having a conventional **tree**-like structure ... The **consecutive keys** may identify **nodes** in a ...[Cached](#) - [Web Search](#)**The string B-tree: a new data structure for string search in external memory and its applications - all 9 versions »**

P Ferragina, R Grossi - Journal of the ACM (JACM), 1999 - portal.acm.org

... us to solve Problem 1 by handling **keys** which are ... distribute the strings among the **B-tree nodes** as follows ... We partition into groups of b **consecutive** strings each ...[Cited by 139](#) - [Related Articles](#) - [Web Search](#)**[PDF] Engineering an External Memory Minimum Spanning Tree Algorithm - all 11 versions »**

R Dementiev, P Sanders, D Schultes, J Sibeyn - IFIP TCS, Toulouse, 2004 - www.mayr.informatik.tu-muenchen.de

... a large memory that can be accessed in **consecutive** blocks of ... are put into a hash table using v as a **key**. ... for planar graphs, graphs with bounded **tree** width and ...[Cited by 10](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**[PDF] MatrixPro-A tool for on-the-fly demonstration of data structures and algorithms - all 3 versions »**

V Karavirta, A Korhonen, L Malmi, K Staltnacke - Proceedings of the Third Program Visualization Workshop, 2004 - cs.hut.fi

... case the items are inserted in **consecutive** order to ... visualization (for example, a red-black **tree** with dozens of ... operations such as assigning a new **key** value to ...[Cited by 13](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**ENGINEERING AN EXTERNAL MEMORY MINIMUM SPANNING TREE ALGORITHM**

R Dementiev, DS Sanders, J Sibeyn - Exploring New Frontiers of Theoretical Informatics, 2004 - books.google.com

... that can be accessed in **consecutive** blocks of ... The **key** algorithmic ingredient for this result is ... Otakar boruvka on minimum spanning **tree** problem: Translation of ...[Related Articles](#) - [Web Search](#)



Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((nodes)<in>metadata) <and> ((rename)<in>metadata))"

Your search matched 8 of 1751101 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail
 printer



Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Search Options

[View Session History](#)
[New Search](#)

IEEE/IET

Books

Educational Courses

Application Notes [

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **Influence of Bit-Error Rate on the Throughput of STDMA Ad-hoc Network**
 Wu, Huafeng; Shi, Chaojian; Yu, Bo; Chen, Haiguang; Gao, Chuanshan;
[Distributed Computing Systems Workshops, 2007. ICDCSW '07. 27th International Conference on](#)
 22-29 June 2007 Page(s):81 - 81
 Digital Object Identifier 10.1109/ICDCSW.2007.103
[AbstractPlus](#) | Full Text: [PDF](#)(167 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Refinement of Correspondences in EXSMAL for XML Document Transformation**
 Khaled, H.; Benharkat, A.-N.; Amghar, Y.;
[Database and Expert Systems Applications, 2006. DEXA '06. 17th International Conference on](#)
 04-08 Sept. 2006 Page(s):304 - 308
 Digital Object Identifier 10.1109/DEXA.2006.121
[AbstractPlus](#) | Full Text: [PDF](#)(200 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Creation of a personal space with HyWebMap**
 Saleh, I.; Papy, F.; Bouhai, N.;
[Computer Systems and Applications, ACS/IEEE International Conference on](#)
 25-29 June 2001 Page(s):560 - 562
 Digital Object Identifier 10.1109/AICCSA.2001.934064
[AbstractPlus](#) | Full Text: [PDF](#)(268 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **A lexisearch algorithm for traveling salesman problem**
 Pandit, S.N.N.; Srinivas, K.;
[Neural Networks, 1991. 1991 IEEE International Joint Conference on](#)
 18-21 Nov. 1991 Page(s):2521 - 2527 vol.3
 Digital Object Identifier 10.1109/IJCNN.1991.170768
[AbstractPlus](#) | Full Text: [PDF](#)(276 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **An analysis of recurrence relations in Fortran Do-loops for vector processing**
 Chih-Ping Chu; Carver, D.L.;
[Parallel Processing Symposium, 1991. Proceedings., Fifth International](#)
 30 April-2 May 1991 Page(s):619 - 625
 Digital Object Identifier 10.1109/IPPS.1991.153845

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1773845	computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 10:46
S3	2	"6889226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 10:56
S4	4	"605448".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 11:14
S6	0	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) with (b?tree\$1 or btree\$1 or tree\$1)) and @ad<"2031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 11:20
S8	11	(((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) same renam\$3) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 11:25
S9	2656	((excis\$3 or extract\$3 or (tak\$3 adj out)) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 11:29
S11	157	S9 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 11:50

EAST Search History

S12	1	"5619693".pn. and (dynamically)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 11:51
S5	0	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @ad<"2031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:11
S15	0	((split\$4) with tree\$1)) and @ad<"2031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:12
S14	0	((split\$4) with tree\$1) same merg\$3) and @ad<"2031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:12
S13	0	((split\$4 and merg\$3) with tree\$1) and @ad<"2031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:12
S17	71	S16 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:32
S18	0	((renam\$3 near3 ((consecutive or adjacent or neighboring or subsequent) near3 (key\$1 or node\$1 or leaf\$1 or leaves or vertices))) with tree\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:38

EAST Search History

S20	1	"20030018646" and renam\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:42
S19	18	((renam\$3 near3 (key\$1 or node\$1 or vertices)) with tree\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:53
S21	11	((renam\$3 near3 node\$1) near5 tree\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:55
S24	2	((remov\$3 near3 node\$1) near5 tree\$1)) same renam\$3 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:56
S23	0	((remov\$3 near3 node\$1) near5 tree\$1)) with renam\$3 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:56
S22	429	((remov\$3 near3 node\$1) near5 tree\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:56
S25	0	((excis\$3 near3 node\$1) near5 tree\$1)) same renam\$3 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:57

EAST Search History

S26	2	((extract\$3 near3 node\$1) near5 tree\$1)) same renam\$3 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:24
S29	1713	((extract\$3 or excis\$3) near3 (node\$1 or key\$1 or leaves)) with stor\$3) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:28
S28	9947	((extract\$3 or excis\$3) near3 (node\$1 or key\$1 or leaves)) and stor\$3) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:28
S30	30	((extract\$3 or excis\$3) near5 ((node\$1 or key\$1 or leaves))) near5 tree\$1 with stor\$3) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:29
S31	2	"20030018646" and (split\$4 or merg\$3 or extract\$3 or nam\$3 or renam\$3 or node\$1 or stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:02
S27	2	"20030204513" and (split\$4 or merg\$3 or extract\$3 or nam\$3 or renam\$3 or node\$1 or stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:02
S32	9313	results and renam\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 09:52

EAST Search History

S33	50	(US-20050234951-\$ or US-20050111482-\$ or US-20060112121-\$ or US-20050063382-\$ or US-20040034678-\$ or US-20060015547-\$).did. or (US-5379422-\$ or US-5218696-\$ or US-5566328-\$ or US-5832487-\$ or US-5517641-\$ or US-5758357-\$ or US-5802364-\$ or US-5887274-\$ or US-5701467-\$ or US-4945475-\$ or US-5261088-\$ or US-6208993-\$ or US-5490258-\$ or US-5842224-\$ or US-5860136-\$ or US-6636914-\$ or US-6865632-\$ or US-6240418-\$ or US-5848416-\$ or US-6175835-\$ or US-6115716-\$ or US-6292795-\$ or US-6819670-\$ or US-5623666-\$ or US-5745752-\$ or US-5926805-\$). did. or (US-6609189-\$ or US-5537528-\$ or US-6181678-\$ or US-5752243-\$ or US-5701137-\$ or US-5917492-\$ or US-6122646-\$ or US-6154750-\$ or US-5333254-\$ or US-5506983-\$ or US-5568640-\$ or US-5615325-\$ or US-5644736-\$ or US-5644740-\$ or US-5812135-\$ or US-6101500-\$ or US-6173289-\$ or US-6292797-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/27 09:53
S34	50	S33 and (renam\$3 near\$3 nodes)	US-PGPUB; USPAT	OR	OFF	2006/09/27 09:54
S36	23	S35 and "707"/.cccls.	US-PGPUB; USPAT	OR	OFF	2006/09/27 09:55
S35	39	S33 and ((renam\$3 near\$3 nodes) with tree\$1)	US-PGPUB; USPAT	OR	OFF	2006/09/27 10:02
S38	1	"5832487".pn. and (renam\$3 with node\$1)	US-PGPUB; USPAT	OR	OFF	2006/09/27 10:03
S37	1	"5832487".pn. and (renam\$3 near4 node\$1)	US-PGPUB; USPAT	OR	OFF	2006/09/27 10:03
S39	1	"5832487".pn. and (renam\$3)	US-PGPUB; USPAT	OR	OFF	2006/09/27 10:06
S40	1	"5752243".pn. and (split\$4 or sub\$4 or merg\$3 or renam\$3)	US-PGPUB; USPAT	OR	OFF	2006/09/27 10:18
S43	0	"5752243".pn. and namespace	US-PGPUB; USPAT	OR	OFF	2006/09/27 11:08
S42	1	"5752243".pn. and (key near3 value\$1) with split\$4	US-PGPUB; USPAT	OR	OFF	2006/09/27 11:08

EAST Search History

S45	1	S44 and namespace	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:09
S44	140	((split\$4 and merg\$3) with tree\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:09
S47	382	S46 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:10
S46	6565	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:10
S10	382	S7 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:10
S49	1	"5689706".pn. and directory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:15
S48	14	S47 and namespace	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:03

EAST Search History

S51	1	"20050234951" and balancing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:21
S50	1	"5752243".pn. and directory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:21
S54	1331	(balanc\$3 near3 (tree\$1 or btree\$1 or b?tree\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:23
S53	1521	(balanc\$3 near5 (tree\$1 or btree\$1 or b?tree\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:23
S56	55	S55 and (split\$4 and merg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:24
S55	349	S54 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:24
S58	1	"20030204513" .pn. and prefix	US-PGPUB; USPAT	OR	OFF	2006/09/27 12:38
S57	0	"5752243".pn. and prefix	US-PGPUB; USPAT	OR	OFF	2006/09/27 12:38
S41	1	"5752243".pn. and nam\$3	US-PGPUB; USPAT	OR	OFF	2006/09/27 12:38

EAST Search History

S52	1	"20050234951" and balanc\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:47
S62	1	S61 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:49
S61	59	(strict near3 insert\$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:49
S60	0	((strict near3 insert\$3) near5 (tree\$1 or btree\$1 or b?tree\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:49
S59	1	"20050234951" and strict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:50
S64	65	S63 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:51
S63	521	((insert\$3 with tree\$1) with between) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:51

EAST Search History

S16	140	((split\$4 and merg\$3) with tree\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 13:38
S65	0	S44 and (renam\$3 near3 director\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 13:39
S67	55	S66 and (split\$4 and merg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 13:40
S68	6635	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 11:20
S7	6565	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 11:20
S70	31	S69 and (renam\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 11:21
S69	395	S68 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 11:21

EAST Search History

S2	6	"823870".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:46
S72	6	"823870".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:47
S71	1	"20030204513" and balanc\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:47
S74	1	"5752243".pn. and balanc\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:56
S75	2	"5689706".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:01
S73	1	"20050234951" and balanc\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:01
S76	1	"5689706".pn. and ((file near2 system\$1) or namespace\$1 or director\$3 or tree\$1 or b-tree\$1 or b?tree\$1 or chang\$3 or key\$1 or node\$1 or nam\$3 or renam\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:02

EAST Search History

S66	268	(renam\$3 near3 directory) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:12
S78	284	S77 and ((tree\$1 or b-tree\$1 or b?tree\$1 or namespace or (file near2 system\$1) or key\$1 or chang\$3 or renam\$3 or re-nam\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:17
S79	13	S77 and ((tree\$1 or b-tree\$1 or b?tree\$1) and namespace and (file near2 system\$1) and key\$1 and chang\$3 and(renam\$3 or re-nam\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:41
S80	1	"6389427".pn. and (director\$3 near4 chang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:43
S82	1	"5566337".pn. and (director\$3 near4 chang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:44
S81	1	"6192365".pn. and (director\$3 near4 chang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:44
S83	343	((renam\$3 re-nam\$3) near3 director\$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:45

EAST Search History

S77	284	(renam\$3 near3 directory) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:45
S84	164	S83 and (tree\$1 or btree\$1 or b?tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 14:46
S87	1	"20030028517" and ((renam\$3 or re-nam\$3) same director\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 15:01
S85	105	S83 and ((tree\$1 or btree\$1 or b?tree\$1) same director\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 15:04
S86	92	S83 and ((tree\$1 or btree\$1 or b?tree\$1) with director\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 15:05
S88	92	S85 and ((tree\$1 or btree\$1 or b?tree\$1) with director\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 15:29
S90	0	"20020152226" and (btree\$1 or b?tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 15:35

EAST Search History

S89	3	"20020152226" and (renam\$3 or director\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 15:35
S91	2	"20050234951" and (readable or medium or media or signal\$1 or wave\$1 or communication\$1 or wireless or link\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 09:42
S92	1985	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:45
S96	9	S93 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:46
S95	14	S92 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:46
S94	3651	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:46
S93	2814	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:46

EAST Search History

S10 0	1524	((excis\$3 or extract\$3 or (tak\$3 adj out)) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:47
S99	872	((excis\$3 or extract\$3 or (tak\$3 adj out)) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:47
S98	0	(((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) same renam\$3) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:47
S97	6	(((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) same renam\$3) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:47
S10 7	5	((renam\$3 near3 node\$1) near5 tree\$1) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:48
S10 6	5	((renam\$3 near3 (key\$1 or node\$1 or vertices)) with tree\$1) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:48
S10 5	6	((renam\$3 near3 (key\$1 or node\$1 or vertices)) with tree\$1) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:48

EAST Search History

S10 4	3	S102 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:48
S10 3	3	S101 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:48
S10 2	34	((split\$4 and merg\$3) with tree\$1) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:48
S10 1	71	((split\$4 and merg\$3) with tree\$1) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:48
S11 3	5247	((extract\$3 or excis\$3) near3 (node\$1 or key\$1 or leaves)) and stor\$3) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:49
S11 2	5127	((extract\$3 or excis\$3) near3 (node\$1 or key\$1 or leaves)) and stor\$3) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:49
S11 1	4	S109 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:49

EAST Search History

S11 0	79	((remov\$3 near3 node\$1) near5 tree\$1) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:49
S10 9	206	((remov\$3 near3 node\$1) near5 tree\$1) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:49
S10 8	1	((renam\$3 near3 node\$1) near5 tree\$1) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:49
S11 8	31	((extract\$3 or excis\$3) near5 ((node\$1 or key\$1 or leaves))) near5 tree\$1 with stor\$3) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:50
S11 7	17	((extract\$3 or excis\$3) near5 ((node\$1 or key\$1 or leaves))) near5 tree\$1 with stor\$3) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:50
S11 6	7	S115 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:50
S11 5	1045	((extract\$3 or excis\$3) near3 (node\$1 or key\$1 or leaves)) with stor\$3) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:50

EAST Search History

S11 4	505	((extract\$3 or excis\$3) near3 (node\$1 or key\$1 or leaves)) with stor\$3) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:50
S12 2	389	(balanc\$3 near5 (tree\$1 or btree\$1 or b?tree\$1)) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:51
S12 1	655	(balanc\$3 near5 (tree\$1 or btree\$1 or b?tree\$1)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:51
S12 0	34	((split\$4 and merg\$3) with tree\$1) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:51
S11 9	71	((split\$4 and merg\$3) with tree\$1) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:51
S12 8	11	S126 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:52
S12 7	26	S125 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:52

EAST Search History

S12 6	334	(balanc\$3 near3 (tree\$1 or btree\$1 or b?tree\$1)) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:52
S12 5	573	(balanc\$3 near3 (tree\$1 or btree\$1 or b?tree\$1)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:52
S12 4	12	S122 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:52
S12 3	26	S121 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:52
S13 2	187	((insert\$3 with tree\$1) with between) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:53
S13 1	147	((insert\$3 with tree\$1) with between) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:53
S13 0	32	(strict near3 insert\$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:53

EAST Search History

S12 9	24	(strict near3 insert\$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:53
S13 7	1985	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:54
S13 6	54	(renam\$3 near3 directory) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:54
S13 5	139	(renam\$3 near3 directory) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:54
S13 4	3	S132 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:54
S13 3	5	S131 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:54
S14 2	54	(renam\$3 near3 directory) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:55

EAST Search History

S14 1	139	(renam\$3 near3 directory) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:55
S14 0	9	S138 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:55
S13 9	14	S137 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:55
S13 8	2814	((excis\$3 or extract\$3 or remov\$3 or (tak\$3 adj out) or cull\$3) near3 (b?tree\$1 or btree\$1 or tree\$1)) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:55
S14 6	163	((renam\$3 re-nam\$3) near3 director\$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:56
S14 5	9	S144 and 707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:56
S14 4	287	S143 and ((tree\$1 or b-tree\$1 or b?tree\$1 or namespace or (file near2 system\$1) or key\$1 or chang\$3 or renam\$3 or re-nam\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:56

EAST Search History

S14 3	287	(renam\$3 near3 directory) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 13:56
S14 7	2	"20050234951" and (readable or media or medium or wireless or communications or optical or signal\$1 or wave\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 11:40